

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

implantlink® semi Xray (Base + Catalyst)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Radiopaque long-term provisional cement for use in dentistry.

### 1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	

+49 7243/510-0  
This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

### 1.4. Emergency telephone number:

+49 7243/510-0  
This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 - 4.00 p.m.)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Respiratory or skin sensitisation: Skin Sens. 1B  
Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
Toxic to aquatic life with long lasting effects.

### 2.2. Label elements


#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

aliphatic urethane acrylate  
1,6-hexanediol dimethacrylate  
2-hydroxyethyl methacrylate

Signal word: Warning

Pictograms:



#### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 2 of 10

H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P501 Dispose of contents/ container in accordance with local and national regulations.

#### Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of methacrylic resins with auxiliary matters.

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
13760-80-0	ytterbium fluoride			25 - 50 %
			05-2114167945-35	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
	aliphatic urethane acrylate			5 - < 10 %
	906-949-5		01-2120266262-	
	Skin Sens. 1B, Aquatic Chronic 2; H317 H411			
6606-59-3	1,6-hexanediol dimethacrylate			1 - < 5 %
	229-551-7			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
868-77-9	2-hydroxyethyl methacrylate			< 1 %
	212-782-2	607-124-00-X		
	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1; H319 H315 H317			
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan			< 1 %
	222-182-2	604-070-00-9		
	Eye Irrit. 2, Skin Irrit. 2, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H319 H315 H400 H410			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 3 of 10

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 4 of 10

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Advice on storage compatibility

Keep away from spontaneous flammable or combustible substances.

#### Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of lighth.

#### 7.3. Specific end use(s)

Luting cement for implant retained dental restorations.  
For use by trained specialist staff.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Paste , low-viscosity
Colour:	base: white , catalyst: transparent
Odour:	aromatic

#### Test method

pH-Value:	not determined
-----------	----------------

#### Changes in the physical state

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	not determined
--	----------------

Flash point:	>100 °C DIN 51755
--------------	-------------------

Sustaining combustion:	Not sustaining combustion
------------------------	---------------------------

according to Regulation (EC) No 1907/2006

**implantlink® semi Xray (Base + Catalyst)**

Revision date: 18.07.2018

Product code: 10389

Page 5 of 10

**Flammability**

Solid: not applicable  
Gas: not applicable

Lower explosion limits: not determined  
Upper explosion limits: not determined

**Auto-ignition temperature**

Solid: not applicable  
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not oxidizing.

Vapour pressure: <1 hPa  
(at 20 °C)

Density (at 20 °C): 1,1 g/cm<sup>3</sup> DIN 51757

Water solubility: insoluble

**Solubility in other solvents**

not determined

Partition coefficient: not determined

Viscosity / dynamic: 40000 mPa·s Rheostress  
(at 23 °C)

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Reacts with :  
oxidising agents, radicals forming substances or heavy metal ions.

**10.4. Conditions to avoid**

Ultra-violet light and daylight initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light. Keep at temperature not exceeding 25°C/ 77°F.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

In case of fire, acrid acrylic fumes may occur.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 6 of 10

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
868-77-9	2-hydroxyethyl methacrylate				
	oral	LD50 mg/kg	5050	Rat	
	dermal	LD50 mg/kg	>3000	Rabbit	
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan				
	oral	LD50 mg/kg	>5000	Rat	OECD 401
	dermal	LD50 mg/kg	>6000	Rat	OECD 402

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (aliphatic urethane acrylate; 2-hydroxyethyl methacrylate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

Due to physical form (paste) classification with H335 is not appropriate. An inhalation of the product is not possible.

EC regulation 1272/2008 annex 1, section 1.1.1.5: "For the purpose of classification of health hazards (part 3), the route of exposure, information on mechanisms and metabolism studies are useful for determining the relevance of effects in humans. If this information raises doubts as to their relevance in humans, in spite of the indisputable data legitimacy and quality, a lower classification may be justified. When there is scientific evidence that the mechanism or mode of action is not relevant to humans, the substance or mixture should not be classified."

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

**implantlink® semi Xray (Base + Catalyst)**

Revision date: 18.07.2018

Product code: 10389

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50 227 mg/l	96 h	Pimephales promelas		
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan					
	Acute fish toxicity	LC50 0,54 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50 0,00161 mg/l	72 h	Desmodesmus subspicatus.		
	Acute crustacea toxicity	EC50 0,427 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
	Fish toxicity	NOEC 0,0341 mg/l	96 d	Oncorhynchus mykiss (Rainbow trout)	OPP 72-4	
	Crustacea toxicity	NOEC 0,04 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(11 mg/l)	3 h	Activated sludge	OECD 209	

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
868-77-9	2-hydroxyethyl methacrylate			
	84	%	28	
	Leicht biologisch abbaubar			
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan			
	BOD (% of ThOD).	37%	28	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C
	Not readily biodegradable (according to OECD criteria)			
	specific analysis.	99,4%	14	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47

#### BCF

CAS No	Chemical name	BCF	Species	Source
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan	4.157	Brachydanio rerio (zebra-fish)	OECD 305

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

Not identified as PBT/ vPvB substances

### 12.6. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 8 of 10

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains: Triclosan
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Limited quantity:	5 L/ 30 kg
Transport category:	3
Hazard No:	90
Tunnel restriction code:	E

#### Other applicable information (land transport)

Contains: Triclosan

### Marine transport (IMDG)

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains Triclosan
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Marine pollutant:	P
Limited quantity:	5 L/ 30 kg
EmS:	F-A, S-F

#### Other applicable information (marine transport)

Contains Triclosan

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Contains Triclosan
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 9 of 10

IATA-packing instructions - Cargo: 964  
 IATA-max. quantity - Cargo: 450 L

#### Other applicable information (air transport)

Contains Triclosan

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

##### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).  
 Water contaminating class (D): 2 - clearly water contaminating  
 Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road )  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H411 Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### implantlink® semi Xray (Base + Catalyst)

Revision date: 18.07.2018

Product code: 10389

Page 10 of 10

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*